

DOCKET NO.: 217830US0CONT

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313



RE: Application Serial No.: 10/046,108

Applicants: Yasuyo SAITO, et al.

Filing Date: January 14, 2002

For: ORGANIC METAL COMPLEX, INFRARED-
ABSORBING DYE AND INFRARED ABSORPTION
FILTER CONTAINING IT, AND FILTER FOR
PLASMA DISPLAY PANEL

Group Art Unit: 1712

Examiner: Timothy J. KUGEL

ATTORNEYS AT LAW

NORMAN F. OBLON
(703) 413-3000
NOBLON@OBLON.COM

DANIEL J. PEREIRA, Ph.D.
(703) 413-3000
DPEREIRA@OBLON.COM

SIR:

Attached hereto for filing are the following papers:

**PTO COVER LETTER
AMENDMENT AND REPLY TO *EX PARTE* QUAYLE**

Our check in the amount of -0- is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

Norman F. Oblon


Daniel J. Pereira, Ph.D.

Registration No.: 45,518

Customer Number

22850

(703) 413-3000 (phone)
(703) 413-2220 (fax)



DOCKET NO.: 217830US0CONT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: :
Yasuyo SAITO et al : GROUP ART UNIT: 1712
SERIAL NO.: 10/046,108 : EXAMINER: Timothy J. KUGEL
FILED: January 14, 2002 :
FOR: ORGANIC METAL COMPLEX, INFRARED-ABSORBING
DYE AND INFRARED ABSORPTION FILTER CONTAINING
IT, AND FILTER FOR PLASMA DISPLAY PANEL

AMENDMENT AND REPLY TO *EX PARTE QUAYLE*

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

SIR:

In response to the Office Action (Ex parte Quayle) dated September 1, 2004, please
amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on
page 12 of this paper.

Remarks/Arguments begin on page 17 of this paper.